Annual Drinking Water Quality Report for 2023 Ripley Water District 10168 West Lake Road Ripley, NY 14775 Public Water Supply ID# NY0600372

INTRODUCTION

To comply with State regulations, Ripley Water District annually issues a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. Last year, your tap water met all State drinking water health standards. We are proud to report that our system did not violate a maximum contaminant level or any other water quality standard.

This report includes details about where your water comes from, what it contains, and how it compares to State standards. If you have any questions about this report or concerning your drinking water, please contact Andrew Strine, Water Facility Superintendent, at 716-736-6000. We want you to be informed about your drinking water. If you want to learn more, please attend any of our regularly scheduled Town Board meetings. The meetings are held on the second Thursday of every month at 6:30 PM in the Community Building located at 14 North State Street.

WHERE DOES OUR WATER COME FROM?

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. In order to ensure that tap water is safe to drink, the State and the EPA prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Our water system serves approximately 1600 people and several small businesses through 548 service connections. Our water source is surface water, which is treated by the Martin D. Cary filtration plant. The Martin D. Cary filtration plant is designed to produce 350,000-gallons per day using the slow sand filtration process with a final stage of chlorine disinfection prior to distribution.

The NYSDOH has evaluated this public water supply's susceptibility to contamination under the Source Water Assessment Program (SWAP), and their findings are summarized in the paragraph below. It is important to stress that these assessments were created using available information and only estimate the potential for source water contamination. Elevated susceptibility ratings do not mean that source water contamination has or will occur for this PWS. This PWS provides treatment and regular monitoring to ensure the water delivered to consumers meets all applicable standards.

This assessment found an elevated susceptibility to contamination for this source of drinking water. The amount of pasture in the assessment area results in a high potential for protozoa contamination. No permitted discharges are found in the assessment area. There are no likely contamination threats associated with other discrete contaminant sources, even though oil and gas wells are found in high densities.

While the source water assessment rates our reservoir as being susceptible to microbial, please note that our water is filtered and disinfected to ensure that that the finished water delivered into your home meets New York State's drinking water standards for microbial contamination. A copy of the assessment, including a map of the assessment area, can be obtained by contacting us, as noted above.

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

As the State regulations require, we routinely test your drinking water for numerous contaminants. These contaminants include: total coliform, turbidity, inorganic compounds, nitrate, nitrite, lead and copper, volatile organic compounds, total trihalomethanes, and synthetic organic compounds. The table presented below depicts which compounds were detected in your drinking water. The State allows us to test for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791) or the Chautauqua County Health Department at 716-753-4481.

TABLE OF DETECTED CONTAMINANTS												
Contaminant	Violation	Date of Sample	Level Detected	Unit Measure -ment	Regulatory Limit (MCL/ AL)	MCLG	Likely Source of Contamination					
MICROBIOL	OGICAL C	ONTAMIN	ANTS	1	1	1	1					
Turbidity ¹	No	5/22/23	0.13	NTU	TT=<1.0 NTU	N/A	Soil Run-off					
Turbidity ¹	No	May 2023	100% <0.3	NTU	TT=95% of samples <0.3NTU	N/A	Soil Runoff					
Distribution Turbidity ²	No	January 2023	0.358	NTU	MCL>5 NTU	N/A	Soil Run-off					
INORGANIC	CONTAM	INANTS										
Copper ³	No	7/18/23 – 7/28/23	0.898; Range= 0.110 – 1.02	mg/l	1.3 (AL)	1.3	Corrosion of household plumbing systems; Erosion of natural deposits; leaching from wood preservatives.					
Lead ⁴	No	7/18/23 – 7/28/23	3.68; Range= ND – 6.58	ug/l	15 (AL)	0	Corrosion of household plumbing systems: Erosion of natural deposits.					
Barium	No	3/30/23	0.0277	mg/l	2 (MCL)	2	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.					
Phosphate	No	Daily 2023	Avg.=0.147 Range= 0.01 – 1.3	mg/l	N/A	N/A	Used for water treatment					
RADIOLOGI	CAL											
Gross Beta ⁸	No	5/2/22	1.7	pCi/l	50 (MCL)	0	Decay of natural deposits and man-made emissions.					
STAGE 2 DIS	SINFECTIO	ON BYPRO	DUCTS (W	LAKE R	OAD)	•	•					
Total Trihalomethanes	No	Quarterly (2023)	Avg.=65.5 Range= 59.1 – 73.0	ug/l	80 (MCL)	N/A	By-product of drinking water chlorination needed to kill harmful organisms. TTHMs are formed when source water contains large amounts of organic matter.					
Total Haloacetic Acids	No	Quarterly (2023)	Avg.=48.4 Range= 40.1 – 63.5	ug/l	60 (MCL)	N/A	By-product of drinking water chlorination needed to kill harmful organisms					
STAGE 2 DIS	SINFECTIO	<u>ON BYPRO</u>	DUCTS (L	AUNDRO	MAT)							
Total Trihalomethanes	No	Quarterly (2023)	Avg.=48.3 Range= 41.9 – 57.3	ug/l	80 (MCL)	N/A	By-product of drinking water chlorination needed to kill harmful organisms. TTHMs are formed when source water contains large amounts of organic matter.					
Total Haloacetic Acids	No	Quarterly (2023)	Avg.=43.1 Range= 36.2 – 50.5	ug/l	60 (MCL)	N/A	By-product of drinking water chlorination needed to kill harmful organisms					
STAGE 2 DIS	SINFECTIO	ON BYPRO	DUCTS (W	ASTEW	ATER TREA	TMENT	ſ PLANT)					
Total Trihalomethanes	No	Quarterly (2023)	Avg.=54.9 Range= 51.0 – 62.3	ug/l	80 (MCL)	N/A	By-product of drinking water chlorination needed to kill harmful organisms. TTHMs are formed when source water contains large amounts of organic matter.					
Total Haloacetic Acids	No	Quarterly (2023)	Avg.=42.9 Range= 38.5 – 55.0	ug/l	60 (MCL)	N/A	By-product of drinking water chlorination needed to kill harmful organisms					

DISINFECTANTS

Chlorine Residual	No	Daily (2023)	Avg.=1.09 Range= 0.3 – 2.1	mg/l	4 (MCL)	N/A	Water additive used to control microbes
----------------------	----	-----------------	----------------------------------	------	---------	-----	---

Notes:

1 - Turbidity is a measure of the cloudiness of the water. We test it because it is a good indicator of the effectiveness of our filtration system. Our highest single turbidity measurement for the year occurred on 5/22/23 (0.13 NTU). State regulations require that turbidity must always be less than or equal to 1.0 NTU. The regulations require that 95% of the turbidity samples collected have measurements below 0.3 NTU. Although in the month of May 2023, we recorded our highest turbidity readings, at no time within the calendar year did we exceed the 0.3 NTU turbidity limit, all recorded were in acceptable range allowed and did not constitute a treatment technique violation.

2 - Distribution Turbidity is a measure of the cloudiness of the water found in the distribution system. We monitor it because it is a good indicator of water quality. High turbidity can hinder the effectiveness of disinfectants. Our highest average monthly distribution turbidity measurement detected during the year (0.358 NTU) occurred during January. This value is below the State's maximum contaminant level of 5 NTU.

3 - The level presented represents the 90th percentile of the 11 homes tested. A percentile is a value on a scale of 100 that indicates the percent of samples equal to or below it. The 90th percentile is equal to or greater than 90% of the copper values detected at your water system. In this case, 11 samples were collected at your water system and the 90th percentile value was calculated to equal the 2nd highest result which was 0.898 mg/l. The action level for copper was not exceeded at any of the sites tested.

4 - The level presented represents the 90th percentile of the 11 homes tested. In this case, 11 samples were collected at your water system and the 90th percentile value for lead was 3.68 ug/l. The action level for lead was not exceeded at any of the sites tested.

Definitions:

<u>Maximum Contaminant Level (MCL)</u>: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

<u>Maximum Contaminant Level Goal (MCLG)</u>: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant that is allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

<u>Maximum Residual Disinfectant Level Goal (MRDLG)</u>: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

<u>Action Level (AL)</u>: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water. *Non-Detects* (ND): Laboratory analysis indicates that the constituent is not present.

<u>Nephelometric Turbidity Unit (NTU)</u>: A measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

<u>Milligrams per liter (mg/l)</u>: Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

<u>Micrograms per liter (ug/l)</u>: Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

Picocuries per liter (pCi/L): A measure of the radioactivity in water.

WHAT DOES THIS INFORMATION MEAN?

As you can see by the table, our system had no violations in 2023. We have learned through our testing that some contaminants have been detected; however, these contaminants were detected below the level allowed by the State. Lead and copper were detected within the system and of the eleven samples collected none were found exceeding the action levels. We are required to present the following information on lead in drinking water:

Lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing.

The Ripley Water District is responsible for providing high quality drinking water and removing lead pipes, but cannot control the variety of materials used in plumbing components in your home. You share the responsibility for protecting yourself and your family from the lead in your home plumbing. You can take responsibility by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Before drinking tap water, flush your pipes for several minutes by running your tap, taking a shower, doing laundry or a load of dishes. You can also use a filter certified by an American National Standards Institute accredited certifier to reduce lead in drinking water. If you are concerned about lead in your water and wish to have your water tested, contact The Ripley Water District at 716-736-6000. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at *http://www.epa.gov/safewater/lead*.

IS OUR WATER SYSTEM MEETING OTHER RULES THAT GOVERN OPERATIONS?

We are required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not your drinking water meets health standards. During 2023, our system was in compliance with all applicable State drinking water operating, monitoring, and reporting requirements.

DO I NEED TO TAKE SPECIAL PRECAUTIONS?

Although our drinking water met or exceeded most state and federal regulations, some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

INFORMATION FOR NON-ENGLISH SPEAKING RESIDENTS

<u>Spanish</u>

Este informe contiene información muy importante sobre su agua beber. Tradúzcalo ó hable con alguien que lo entienda bien.

<u>French</u>

Ce rapport contient des informations importantes sur votre eau potable. Traduisez-le ou parlez en avec quelqu'un qui le comprend bien.

WHY SAVE WATER AND HOW TO AVOID WASTING IT?

Although our system has an adequate amount of water to meet present and future demands, there are a number of reasons why it is important to conserve water:

- Saving water saves energy and some of the costs associated with both of these necessities of life;
- Saving water reduces the cost of energy required to pump water and the need to construct costly new wells, pumping systems and water towers; and
- Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions so that essential firefighting needs are met.

You can play a role in conserving water by becoming conscious of the amount of water your household is using, and by looking for ways to use less whenever you can. It is not hard to conserve water. Conservation tips include:

- Modern automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So get a run for your money and load it to capacity.
- Turn off the tap when brushing your teeth.
- Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it up and you can save almost 6,000 gallons per year.
- Check your toilets for leaks by putting a few drops of food coloring in the tank, watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from one of these

otherwise invisible toilet leaks. Fix it and you save more than 30,000 gallons a year.

CLOSING

Thank you for allowing us to continue to provide your family with quality drinking water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers.

There are only cosmetic repairs left for Water District 4, the continuation of our water main on Route 5 east bound. On Shortman Rd, the State is replacing a culvert pipe that crosses Shortman Rd. It has been determined that the Water 5 Main will not have to be relocated for that project, if this changes then all affected customers will be notified and informed of the actions that will be taken.

We are currently working on the state required customer line survey, this will require us to enter the home and do --an inspection of the service line coming into the home. The inspection is non-invasive and only takes a few minutes to gather the information that the EPA and State DOH requires. Please assist us in this requirement by calling our office and scheduling a time that we can perform the inspection.

If you have any question on the survey or everyday operations do not hesitate to give us a call.